

Aerflo




Hubungi Kami



081235145662

CATALOG Aerflo PRODUCT


UNTUK PEMASANGAN INSTALASI
DAN PRODUK-PRODUK PILIHAN!



Box Fan 56 Inch 3 Phase AF-BF-56/3

Aplikasi Pemasangan :
Pabrik, gedung, gudang, peternakan ayam, dll


BLADE INCH	POWER (KW)	VOLT (V)	AIR VOLUME (CMH)	BLADE SPEED (RPM)	MOTOR SPEED (RPM)	PRESSURE (Pa)	DIMESION (CM)	WEIGHT (KG)
56	1.5	380	78478	427	1400	60	153X40X153	70.5



Box Fan 50 Inch 3 Phase AF-BF-50/3

Aplikasi Pemasangan :
Pabrik, gedung, gudang, peternakan ayam, dll


BLADE INCH	POWER (KW)	VOLT (V)	AIR VOLUME (CMH)	BLADE SPEED (RPM)	MOTOR SPEED (RPM)	PRESSURE (Pa)	DIMESION (CM)	WEIGHT (KG)
50	1.1	380	52915	427	1400	56	138X40X138	59



Box Fan 44 Inch 1 Phase AF-BF-44/1

Aplikasi Pemasangan :
Pabrik, gedung, gudang, peternakan ayam, dll


BLADE INCH	POWER (KW)	VOLT (V)	AIR VOLUME (CMH)	BLADE SPEED (RPM)	MOTOR SPEED (RPM)	PRESSURE (Pa)	DIMESION (CM)	WEIGHT (KG)
44	1.1	380	38000	427	1400	73	122X40X122	58



Box Fan 38 Inch 3 Phase AF-BF-38/3

Aplikasi Pemasangan :
Pabrik, gedung, gudang, peternakan ayam, dll

BLADE INCH	POWER (KW)	VOLT (V)	AIR VOLUME (CMH)	BLADE SPEED (RPM)	MOTOR SPEED (RPM)	PRESSURE (Pa)	DIMESION (CM)	WEIGHT (KG)
38	0.75	380	32000	513	1400	70	106X40X106	46.35



Box Fan 36 Inch 3 Phase AF-BF-36/3

Aplikasi Pemasangan :
Pabrik, gedung, gudang, peternakan ayam, dll

BLADE INCH	POWER (KW)	VOLT (V)	AIR VOLUME (CMH)	BLADE SPEED (RPM)	MOTOR SPEED (RPM)	PRESSURE (Pa)	DIMESION (CM)	WEIGHT (KG)
36	0.55	380	26830	513	1400	70	100X40X100	40.55



Air Cooler 18.000 Top AF-AC18000-TA

APLIKASI PEMASANGAN :
Pabrik, Gudang, Aula, Supermarket, Logistik, dll

TANK	POWER	VOLT	AIR VOLUME	CONSUMPT	AREA	PRESSURE	NOISE	DIMESION	WEIGHT
(L)	(W)	(V)	(CMH)	(L/H)	(M2)	(Pa)	(dB)	(CM)	(KG)
30	1100	220	18000	10~15	80~100	180~200	≤70	153X40X153	55



Air Cooler 30.000 Top AF-AC30000-TA

APLIKASI PEMASANGAN :
Pabrik, Gudang, Aula, Supermarket, Logistik, dll

TANK	POWER	VOLT	AIR VOLUME	CONSUMPT	AREA	PRESSURE	NOISE	DIMESION	WEIGHT
(L)	(W)	(V)	(CMH)	(L/H)	(M2)	(Pa)	(dB)	(CM)	(KG)
40	3000	380	30000	25~30	150~200	260	≤79	130x130x118	100



Air Cooler 18.000 Side AF-AC18000-SA

APLIKASI PEMASANGAN :
Pabrik, Gudang, Aula, Supermarket, Logistik, dll

TANK	POWER	VOLT	AIR VOLUME	CONSUMPT	AREA	PRESSURE	NOISE	DIMESION	WEIGHT
(L)	(W)	(V)	(CMH)	(L/H)	(M2)	(Pa)	(dB)	(CM)	(KG)
30	1100	220	18000	10~15	80~100	180~200	≤70	153X40X153	55



Air Cooler 30.000 Side AF-AC30000-SA

APLIKASI PEMASANGAN :
Pabrik, Gudang, Aula, Supermarket, Logistik, dll

TANK	POWER	VOLT	AIR VOLUME	CONSUMPT	AREA	PRESSURE	NOISE	DIMESION	WEIGHT
(L)	(W)	(V)	(CMH)	(L/H)	(M2)	(Pa)	(dB)	(CM)	(KG)
40	3000	380	30000	25~30	150~200	260	≤79	130x130x122	100



Air Cooler 18.000 Down AF-AC18000-DA

APLIKASI PEMASANGAN :
Pabrik, Gudang, Aula, Supermarket, Logistik, dll

TANK	POWER	VOLT	AIR VOLUME	CONSUMPT	AREA	PRESSURE	NOISE	DIMESION	WEIGHT
(L)	(W)	(V)	(CMH)	(L/H)	(M2)	(Pa)	(dB)	(CM)	(KG)
30	1100	220	18000	10~15	80~100	180~200	≤70	153X40X153	55



Air Cooler 30.000 Down AF-AC30000-DA

APLIKASI PEMASANGAN :
Pabrik, gudang, Aula, Supermarket, Logistik, dll

TANK (L)	POWER (W)	VOLT (V)	AIR VOLUME (CMH)	CONSUMPT (L/H)	AREA (M2)	PRESSURE (Pa)	NOISE (dB)	DIMESION (CM)	WEIGHT (KG)
40	3000	380	30000	25~30	150~200	260	≤79	130x130x122	100



HVLS 7.32 Meter (220V) AF-HVLS-7.32M/1

Aplikasi Pemasangan :
Pabrik, gedung, gudang, peternakan ayam, dll

BLADE PCS	POWER (W)	VOLT (V)	AIR VOLUME (CMH)	SPEED (RPM)	COVERAGE (M2)	EFFECTIVE AREA (M3)	NOISE (dB)	WEIGHT (KG)	SIZE (M)
6	1400	220	894.000	50	1000	20516	≤40	168	7.32



HVLS 7.32 Meter (380V) AF-HVLS-7.32M/3

Aplikasi Pemasangan :
Pabrik, gedung, gudang, peternakan ayam, dll

BLADE PCS	POWER (W)	VOLT (V)	AIR VOLUME (CMH)	SPEED (RPM)	COVERAGE (M2)	EFFECTIVE AREA (M3)	NOISE (dB)	WEIGHT (KG)	SIZE (M)
6	1500	380	791.100	50	1000	20516	≤40	168	7.32



HVLS 6.12 Meter AF-HVLS-6.1M

Aplikasi Pemasangan :
Pabrik, gedung, gudang, peternakan ayam, dll

BLADE PCS	POWER (W)	VOLT (V)	AIR VOLUME (CMH)	SPEED (RPM)	COVERAGE (M2)	EFFECTIVE AREA (M3)	NOISE (dB)	WEIGHT (KG)	SIZE (M)
6	1400	220	762.000	60	850	16956	≤40	146	6.12



HVLS-4.88 Meter 0.75KW AF-HVLS-4.8M

Aplikasi Pemasangan :
Pabrik, gedung, gudang, peternakan ayam, dll

BLADE PCS	POWER (W)	VOLT (V)	AIR VOLUME (CMH)	SPEED (RPM)	COVERAGE (M2)	EFFECTIVE AREA (M3)	NOISE (dB)	WEIGHT (KG)	SIZE (M)
5	750	220	270.000	70	180	2861	≤40	50	6.12



HVLS 4.3 Meter AF-HVLS-4.28M

Aplikasi Pemasangan :
Pabrik, gedung, gudang, peternakan ayam, dll

BLADE	POWER	VOLT	AIR VOLUME	SPEED	COVERAGE	EFFECTIVE AREA	NOISE	WEIGHT	SIZE
PCS	(W)	(V)	(CMH)	(RPM)	(M2)	(M3)	(dB)	(KG)	(M)
5	750	220	234.000	90	150	2260	≤40	48	4.28



HVLS 3.6 Meter AF-HVLS-3.68M

Aplikasi Pemasangan :
Pabrik, gedung, gudang, peternakan ayam, dll

BLADE	POWER	VOLT	AIR VOLUME	SPEED	COVERAGE	EFFECTIVE AREA	NOISE	WEIGHT	SIZE
PCS	(W)	(V)	(CMH)	(RPM)	(M2)	(M3)	(dB)	(KG)	(M)
5	500	220	199.560	95	100	1570	≤40	42	3.68



Turbin Ventilator 1200 AF-TV-1200-SS

Aplikasi Pemasangan :
Pabrik, gedung, gudang, peternakan ayam, dll


SIZE	WIND SPEED	AIR VOLUME	DIMENSI		
(INCH)	(M/S)	(M3/H)	NECK	DIAMETER	HEIGHT
48	3.2~16	2030~8280	120	130	64



Turbin Ventilator 1100 AF-TV-1100-SS

Aplikasi Pemasangan :
Pabrik, gedung, gudang, peternakan ayam, dll


SIZE	WIND SPEED	AIR VOLUME	DIMENSI		
(INCH)	(M/S)	(M3/H)	NECK	DIAMETER	HEIGHT
40	3.2~16	1860~7210	100	115	120



Turbin Ventilator 800 AF-TV-800-SS

Aplikasi Pemasangan :
Pabrik, gedung, gudang, peternakan ayam, dll

SIZE	WIND SPEED	AIR VOLUME	DIMENSI		
(INCH)	(M/S)	(M3/H)	NECK	DIAMETER	HEIGHT
32	3.2~16	1526~5643	80	90	60



Turbin Ventilator 600 AF-TV-600-SS

Aplikasi Pemasangan :
Pabrik, gedung, gudang, peternakan ayam, dll


SIZE	WIND SPEED	AIR VOLUME	DIMENSI		
(INCH)	(M/S)	(M3/H)	NECK	DIAMETER	HEIGHT
24	3.2~16	1188~4393	60	70	58



Turbin Ventilator 500 AF-TV-500-SS

Aplikasi Pemasangan :
Pabrik, gedung, gudang, peternakan ayam, dll

SIZE	WIND SPEED	AIR VOLUME	DIMENSI		
(INCH)	(M/S)	(M3/H)	NECK	DIAMETER	HEIGHT
20	3.2~16	824~3047	50	58	58



Turbin Ventilator 400 AF-TV-400-SS

Aplikasi Pemasangan :
Pabrik, gedung, gudang, peternakan ayam, dll

SIZE	WIND SPEED	AIR VOLUME	DIMENSI		
(INCH)	(M/S)	(M3/H)	NECK	DIAMETER	HEIGHT
16	3.2~16	375~1500	40	47	38



Cone Fan Short 1460 AF-CFS-1460

Aplikasi Pemasangan :
Kandang unggas, kandang ternak, pabrik, gudang, dll

VOLT	POWER	SPEED	AIR VOLUME	FRAME SIZE	BLADE DIA.
(V)	(W)	(RPM)	(M3/H)	(MM)	(MM)
380	1100	540	36000	1460X1460X590	1240



Cone Fan Short 1260 AF-CFS-1260

Aplikasi Pemasangan :
Kandang unggas, kandang ternak, pabrik, gudang, dll

VOLT	POWER	SPEED	AIR VOLUME	FRAME SIZE	BLADE DIA.
(V)	(W)	(RPM)	(M3/H)	(MM)	(MM)
380	750	540	32000	1260x1260x560	1080



Cone Fan Short 1060 AF-CFS-1060

Aplikasi Pemasangan :
Kandang unggas, kandang ternak, pabrik, gudang, dll

VOLT	POWER	SPEED	AIR VOLUME	FRAME SIZE	BLADE DIA.
(V)	(W)	(RPM)	(M3/H)	(MM)	(MM)
380	550	540	19000	1060x1060x560	890



Cone Fan Short 850 AF-CFS-850

Aplikasi Pemasangan :
Kandang unggas, kandang ternak, pabrik, gudang, dll

VOLT	POWER	SPEED	AIR VOLUME	FRAME SIZE	BLADE DIA.
(V)	(W)	(RPM)	(M3/H)	(MM)	(MM)
380	370	700	9500	850x850x450	640



Cone Fan Long 1460 3 Phase AF-CFL-1460

Aplikasi Pemasangan :
Kandang unggas, kandang ternak, pabrik, gudang, dll

VOLT	POWER	SPEED	AIR VOLUME	FRAME SIZE	BLADE SIZE
(V)	(W)	(RPM)	(M3/H)	(MM)	(INCH)
380	1100	540	43000	146x58x146	50



Cone Fan Long 1260 3 Phase AF-CFL-1260

Aplikasi Pemasangan :
Kandang unggas, kandang ternak, pabrik, gudang, dll

VOLT	POWER	SPEED	AIR VOLUME	FRAME SIZE	BLADE SIZE
(V)	(W)	(RPM)	(M3/H)	(MM)	(INCH)
380	750	540	41500	126x56x126	42



Cone Fan Long 1060 3 Phase AF-CFL-1060

Aplikasi Pemasangan :
Kandang unggas, kandang ternak, pabrik, gudang, dll

VOLT	POWER	SPEED	AIR VOLUME	FRAME SIZE	BLADE SIZE
(V)	(W)	(RPM)	(M3/H)	(MM)	(INCH)
380	550	700	30000	106x55x106	36



Cone Fan Long 850 3 Phase AF-CFL-850

Aplikasi Pemasangan :
Kandang unggas, kandang ternak, pabrik, gudang, dll

VOLT	POWER	SPEED	AIR VOLUME	FRAME SIZE	BLADE SIZE
(V)	(W)	(RPM)	(M3/H)	(MM)	(INCH)
380	370	700	21000	85X48X85	26



Roof Fan 1460 AF-RF-50

Aplikasi Pemasangan :
Pabrik, gedung, gudang, peternakan ayam, dll

SIZE	POWER	VOLT	AIR VOLUME	SPEED	INSTALLATION HOLE SIZE	DIMESION	WEIGHT
(L)	(W)	(V)	(CMH)	(RPM)	(MM)	(CM)	(KG)
50	1500	380	33324	540	1400X1400	-	-



Roof Fan 1060 AF-RF-36

Aplikasi Pemasangan :
Pabrik, gedung, gudang, peternakan ayam, dll


SIZE	POWER	VOLT	AIR VOLUME	SPEED	INSTALLATION HOLE SIZE	DIMESION	WEIGHT
(L)	(W)	(V)	(CMH)	(RPM)	(MM)	(CM)	(KG)
36	750	380	17000	690	1000x1000	-	55

Hubungi Kami



081235145662

Kunjungi Website Kami



aeroflo.id